

BSD 00, 000, 000 0000

Abstract

00000000 00000000 0000 "00000000 00000000" 0000 000 00000000 00 0000 0000 0000 000000 0000000000'0
00000000 000000000 00000000 0000 0000000000 000000000 00000000 00000000 00000000 0000 00 00000000 00000000
000000000000 0000 000000 00000000 00.0% 00000000000 00000000 0000 00 0000000000 00 00.0% 00000000000 00000000
00 BSD 00000000 00000000 00000000000; 0000000000 00000000 0000000000000000 0000000, 00000, [Yahoo!](#) BSD 00000000
00000000 0000 000000 00000000 0000000000 [FTP](#) 00000000 [ftp.cdrom.com](#) BSD 00000000 0000 0000000000 000000 0.0
000000000 0000 0000 00000000 0000 00000000 BSD'0 000000 00 00000000 0000, 0000 0000 00000000 0000 BSD 0000
0000000000 00000000 00000 00000000

BSD'0 000000000 00000000 000000 00 0000 000000 0000 ? 00 0000000000 0000 00000 0000 00000 0000000000000000 00 00000000
000000000000

00 0000000000 BSD 0 000000000000 00 0000000000000000 000000 00000000 0000 00000

Table of Contents

1. BSD 00 ?	1
2. 000 0000000!!! 0000 0000 00 ?	2
3. BSD 000 00000000 00 ?	3
4. BSD 0000 0000000000	3

1. BSD 00 ?

BSD 0000 00 *Berkley Software Distribution* 0 000000000000 BSD 0000 0000000000000000 0000000000000000,
00000000 0000 000000000 000000000000 00000000 0000 AT&T'0 000000000000 00000000 000000000 0000 00000000
0000 00 000000000 0000 00000000 4.4BSD-Lite 0000 00000000 00 0000000000 00000000 0000 0000 00000000 0000000000
0000000000 000000000 0000 00000000 00 00000000000000 0000 00000 0000000000 00000000000 00000000 00000000
0000, 0000 000000 00000000000000 00 00000 (GNU) 00000000000 0000000000000000 0000 BSD 0000000000 0000000000 0000000000
000000000 00 0

BSD 00000000

0000 000000000 0000000000 000000 0000 0 000000 000000 0000 0000 00000000 00000000 000000 0000000000 0000000000 000000
000000 00000000 000000000000 00000000000 00000

00000000 00000000 00, 00000000000 000000000 0000 00000 00000000000 0000000, 00000000 BSD 00000000000 00000000
00000000 0000 00000 00000000000 000000 0000000000000000 0000 0000000000 00000000000 0000

C 0000000000

0000 00 0000000000 00000000000 [API](#) 000000000 0000 000000000

BSD C 000000000000 0000000000 0000000000 0000000000 0000, 00000 (GNU) 0000000000000 0000 00000 0000

4.2. BSD License Requirements

BSD license requires that the license text be included in the distribution of the software. This includes the source code, the binary code, and any documentation. The license text must be included in a prominent location in the distribution.

The license text must be included in the distribution of the software. This includes the source code, the binary code, and any documentation. The license text must be included in a prominent location in the distribution.

The license text must be included in the distribution of the software. This includes the source code, the binary code, and any documentation. The license text must be included in a prominent location in the distribution.

Requirements

The BSD license requires that the license text be included in the distribution of the software. This includes the source code, the binary code, and any documentation.

The BSD license requires that the license text be included in the distribution of the software. This includes the source code, the binary code, and any documentation. The license text must be included in a prominent location in the distribution.

Core Team and Contributors

FreeBSD and NetBSD are licensed under the BSD license. The license text must be included in the distribution of the software. This includes the source code, the binary code, and any documentation.

BSD license requires that the license text be included in the distribution of the software. This includes the source code, the binary code, and any documentation.

1. The license text must be included in the distribution of the software. This includes the source code, the binary code, and any documentation.
2. BSD license requires that the license text be included in the distribution of the software. This includes the source code, the binary code, and any documentation.
3. The license text must be included in the distribution of the software. This includes the source code, the binary code, and any documentation.

4. 通常情況下，CVS 是 BSD 的代碼倉庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。

通常情況下，BSD 的代碼倉庫是 CVS。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。

1. 通常情況下，CVS 是 BSD 的代碼倉庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。FreeBSD 0.5-CURRENT 和 NetBSD 的代碼倉庫也是 CVS。OpenBSD 的代碼倉庫是 Subversion。NetBSD 1.4.3G 和 OpenBSD 的代碼倉庫也是 Subversion。NetBSD 1.4.2 的代碼倉庫是 CVS。
2. 通常情況下，CVS 是 BSD 的代碼倉庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。FreeBSD 0.5-CURRENT 和 NetBSD 的代碼倉庫也是 CVS。OpenBSD 的代碼倉庫是 Subversion。NetBSD 1.4.3G 和 OpenBSD 的代碼倉庫也是 Subversion。NetBSD 1.4.2 的代碼倉庫是 CVS。
3. RELEASE 分支通常包含 Bug 修復。通常情況下，CVS 是 BSD 的代碼倉庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。FreeBSD 0.5-CURRENT 和 NetBSD 的代碼倉庫也是 CVS。OpenBSD 的代碼倉庫是 Subversion。NetBSD 1.4.3G 和 OpenBSD 的代碼倉庫也是 Subversion。NetBSD 1.4.2 的代碼倉庫是 CVS。

4.3. BSD 的分支

通常情況下，CVS 是 BSD 的代碼倉庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。FreeBSD 0.5-CURRENT 和 NetBSD 的代碼倉庫也是 CVS。OpenBSD 的代碼倉庫是 Subversion。NetBSD 1.4.3G 和 OpenBSD 的代碼倉庫也是 Subversion。NetBSD 1.4.2 的代碼倉庫是 CVS。

通常情況下，CVS 是 BSD 的代碼倉庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。FreeBSD 0.5-CURRENT 和 NetBSD 的代碼倉庫也是 CVS。OpenBSD 的代碼倉庫是 Subversion。NetBSD 1.4.3G 和 OpenBSD 的代碼倉庫也是 Subversion。NetBSD 1.4.2 的代碼倉庫是 CVS。

- FreeBSD 的代碼倉庫是 CVS。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。FreeBSD 0.5-CURRENT 和 NetBSD 的代碼倉庫也是 CVS。OpenBSD 的代碼倉庫是 Subversion。NetBSD 1.4.3G 和 OpenBSD 的代碼倉庫也是 Subversion。NetBSD 1.4.2 的代碼倉庫是 CVS。
- NetBSD 的代碼倉庫是 CVS。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。FreeBSD 0.5-CURRENT 和 NetBSD 的代碼倉庫也是 CVS。OpenBSD 的代碼倉庫是 Subversion。NetBSD 1.4.3G 和 OpenBSD 的代碼倉庫也是 Subversion。NetBSD 1.4.2 的代碼倉庫是 CVS。
- OpenBSD 的代碼倉庫是 Subversion。但對於某些 BSD 分支，CVS 可能不是唯一的代碼倉庫。例如，FreeBSD 的 CURRENT 分支就是通過 CVS 維護的。FreeBSD 0.5-CURRENT 和 NetBSD 的代碼倉庫也是 CVS。OpenBSD 的代碼倉庫是 Subversion。NetBSD 1.4.3G 和 OpenBSD 的代碼倉庫也是 Subversion。NetBSD 1.4.2 的代碼倉庫是 CVS。

BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X

- 4.4 BSD license and other licenses are used in BSD/OS and Mac OS X, and FreeBSD's BSD/OS license is also used
- BSD license and other licenses are used in Mac OS X and FreeBSD's BSD license is also used

4.4. BSD and GNU licenses

BSD license and GNU General Public License (GPL) are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

4.5. BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

4.6. BSD license and other licenses ?

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

- 00000000000 00000000 BSD'00 0000000 000000 0000 00000000 000000 0000 00 0000 0000000000 0000000000 0000000000 00000000 00000000 BSD'0 00000000000 00000000 00000000000 0000000 0000000

4.7. BSD 000000000000 000000 0 0000000000000

BSDi 00000000 BSD/OS 00000000000 00000 00000 00000000 0000000000 00000 FreeBSD 000000000 00000 00000000 0000000000

00000000 FreeBSD, NetBSD 0 OpenBSD'0 00000000000 0000000000 000000 000000 00000 0000000000000 0000000000 0000000000000 00000 00000 0000000 00000